

[+You](#) [Search](#) [Images](#) [Maps](#) [Play](#) [YouTube](#) [News](#) [Books](#) [Store](#)
[Sign in](#)

mapping unstructured data to database tables using mapping functions

[Save us feedback](#)

Scholar

About 15,400 results (0.16 sec)

My Citations

Articles

Legal documents

Any time

Since 2012

Since 2011

Since 2008

Custom range...

☐ include patents
☐ include citations
VisDB: Database exploration using multidimensional visualization

[PDF] from 142.103.6.5

DA Kem... Computer Graphics and Applications, 1994 - [ieee-express.com](#)

... area has been done to improve recall and precision in querying databases of **unstructured data** such as ... define their own color maps and employ them instead of our standard color map ... In evaluating our visualization techniques, we currently ex- plore other **data sets** including a ...

Cited by 303 - Related articles - Library Search - BL Direct - All 46 versions

Integrating XML and databases

[PDF] from 141.223.82.74

E Borfolic... Internet Computing, IEEE, 2001 - [ieee-express.com](#)

... Like Oracle 8i, this architecture handles structured, **unstructured**, and hybrid documents ... through a **data access defin- ition (DAD)** document, which specifies the **mapping** between DTD ... DB2 supports three dif- ferent **data types** for XML columns: XMLClob, XMLVarChar, and XML ...

Cited by 118 - Related articles - BL Direct - All 21 versions

PROJ ARC/INFO: A geo-relational model for spatial information

[PDF] from mapspointext.com

S Morehouse... Proceedings of 7th Int. Symposium on Computer, 1985 - [mapspointext.com](#)

... digitizing and editing read DLG, GIRAS, DIME, and SIF build topology from **unstructured data** input screens for ... Alaska Land and Resource **Mapping** Program area, Alaska - 80,000 sq. ... Retrieval and Analysis System for Handling Land Use and Land Cover **Data**, US Geological ...

Cited by 87 - Related articles - View as HTML - All 3 versions

Materializing web data for OLAP and DSS

Y Zhu, C Bornhord, D Baister, ... Web-Age Information, 2009 - Springer

... Compar- ing with **data** in scientific databases, **Web data** in most cases is **unstructured** or semistructured and has no explicit schema. In our system, MIX provides a mediated model for preparing **Web data** for **mapping** them to an existing star schema. ...

Cited by 17 - Related articles - BL Direct - All 11 versions

Mechanism for mapping XML schemas to object relational database systems

R Murthy, M Krishnaswami, S Chandrasekar... US Patent, 2006 - Google Patents

... spreadsheets is generally highly structured, while **data** representing visual images is generally highly **unstructured** ... Allow a user to specify a particular SQL type **mapping** when there are multiple ... a name that uniquely identifies the registered schema within the **data**-base-and ...

Cited by 88 - Related articles - All 4 versions

Data transformation for warehousing web data

[PDF] from psu.edu

Y Zhu, C Bornhord, ... Advanced Issues of E, 2004 - [ieee-express.com](#)

... In fact, our approach is not limited to the use of UnQL, any language for querying semi-structured or **unstructured data** can also be used in ... between MIX objects of a certain concept and columns of warehouse ta- bles, but also define the **mapping** rules from **data** values of ...

Cited by 12 - Related articles - All 19 versions

System, method and article of manufacture for fast mapping from a propertyed document management system to a relational database

RE Smith, PM Acit, MK Edwards, ... US Patent, 2003 - Google Patents

... 3 is a flowchart of a process for **mapping** properties 65 of a document to a relational ... 5 is an illustration of an exemplary **unstructured** table in accordance with an embodiment of the ... of a property-based document management system on top of a relational **data**-base management ...

Cited by 25 - Related articles - All 2 versions

Translating web data

[PDF] from vldb.org

L Foga, Y Vempalak, MA Hernandez, ... on Very Large Data, 2002 - [db.com.org](#)

... con- sider the exchange of documents or **unstructured data** (including multimedia and **unstructured** text ... semantics that is encoded in logical structures, we call the resulting interpretation a logical **mapping** ... using set IDs) is used to faithfully capture the graph-based **data** mod- els ...

Cited by 384 - Related articles - All 29 versions

Design and implementation of an extensible database management system supporting user defined data types and functions

[PDF] from vldb.org

V Linnemann, K Kuspi, P Gassman, ... on Very Large Data, 1988 - [books.google.com](#)

... The representation is an **unstructured** storage area ... 5.2), and finally the PASCAL **data** structures chosen to **map** the HDBL types into (Sect. ... For each user defined **data** type the catalog man- ager records, again, the internal and external name, the creator and creation date, etc. ...

Cited by 65 - Related articles - Library Search - All 8 versions

data mediation and collaboration: A proposed comprehensive architecture and query requirements for using XML to mediate heterogeneous data sources and targets

[PDF] from ubc.ca

PS Loomis... System Science, 2001. Proceedings of the 34th, 2001 - [ieee-express.com](#)

... XML is a strong candidate to mediate structured and **unstructured data** on the Internet ... user assistance in identifying useful XML views and to perform **data mapping** [16]. ... For example, advanced relational **database** systems incorporate incremental techniques for **data** updates so ...

Cited by 37 - Related articles - BL Direct - All 12 versions

[Create email alert](#)

1 2 3 4 5 6 7 8 9 10 Next

[About Google Scholar](#)

[All About Google](#)

[Privacy & Terms](#)



mapping unstructured data to index tables using mapping functions

Give us feedback

Scholar

About 23,400 results (0.29 sec)



Articles

Scotch: A software package for static mapping by dual recursive bipartitioning of process and architecture graphs

[PS] from labri.fr

Legal documents

F. Pellegrini ... High-Performance Computing and Networking, 1996 - Springer

... 5. SW Hammond. **Mapping unstructured** grid computations to massively parallel computers. ... 9.

C. Karypis and V. Kumar. **McGIS - Unstructured** Graph Partitioning and Sparse Matrix Ordering System - Version 2.0 ... Rectilinear partitioning of irregular **data** parallel computations. ...

Cited by 111 - Related articles - BL Direct - All 4 versions

Any time

Since 2012

Since 2011

Since 2008

Custom range...

Integrating XML and databases

[PDF] from 141.223.82.74

E. Bertino ... Internet Computing, IEEE, 2001 - [ieeexplore.ieee.org](#)

... Like Oracle 8i, this architecture handles structured, **unstructured**, and hybrid documents. ... existing **data**, decompose an XML document, and use XML as an interchange **data** language ... DB2 differs from Oracle 8i in that the **mapping** between XML documents and XML collections is ...

Cited by 118 - Related articles - BL Direct - All 21 versions

☒ include patents☒ include citations[PDF] ARC/INFO: A geo-relational model for spatial information

[PDF] from mapcontext.com

S. Morehouse - Proceedings of 7th Int. Symposium on Computer ... 1985 - [mapcontext.com](#)

... drainage lines attributes: type (intermittant, channel), stream hierarchy, river mile **index** points: wells ... designed either as abstract "models of space" or as standardized repositories for **map data**. ... read DLG, GIRAS, DIME, and SIF build topology from **unstructured data** input screens ...

Cited by 87 - Related articles - View as HTML - All 3 versions

Tetrahedral projection using vertex shaders

[PDF] from sandia.gov

B. Wyllie, K. Moreland, L.A. Fisher ... Proceedings of the 2002 ... 2002 - [diagram.org](#)

... Pre-integrated classification is combined with volume rendering techniques for structured or **unstructured** cells ... i, we then use the coefficients as lookups into a 2D texture **map** defined as ... the implementation of the PT algorithm within the GPU and not on the **data** movement across ...

Cited by 82 - Related articles - All 10 versions

Runtime compilation techniques for data partitioning and communication schedule reuse

[PDF] from syr.edu

R. Ponnusamy, J. Saltz ... Supercomputing'93 ... 1993 - [ieeexplore.ieee.org](#)

... The second loop is similar to those loops found in **unstructured** computational fluid dy- namics codes and ... For instance, the GeoCol **data** structure for a partitioner that uses both geometry and connectivity information can be ... Figure 4: Example of Implicit **Mapping** in Fortran SOD ...

Cited by 150 - Related articles - Library Search - All 26 versions

Using schematically heterogeneous structures

[PDF] from psu.edu

[B.J. Miller](#) - ACM SIGMOD Record, 1998 - [diagram.org](#)

... as dynamic views on I. The **mapping** from I to si is the identity **map**, and views ... However, it may be implemented as an actual inverted **index** on the materialize **data** in the ... This query contains a structured predicate (city = "Athens") and an **unstructured** predicate (3 attribute AA A ...

Cited by 119 - Related articles - BL Direct - All 14 versions

[Performance challenges in object-relational DBMSs](#)

[PDF] from computer.org

M Subramanian, V Krishnamurthy... - Data Engineering ..., 1998 - sites.computer.org

... has evolved relational database systems enabling them to store complex **data**: structured, **unstructured** or semi ... **6 Mapping** and Handling Object **data** on the Client-side Object **data** tend to be ... in the object reference enables the ORDBMS to directly locate the object **data** on disk ...

Cited by 115 - Related articles - View as HTML - All 17 versions

[Discovering internet marketing intelligence through online analytical web usage mining](#)

[PDF] from ulster.ac.uk

AG Böhmer... - ACM Sigmod Record, 1998 - dl.acm.org

... These **mapping** files are either created manually or by (semi-)automated techniques as recommended in the literature (see for instance [KGS93]). ... Less standardised and hence more **unstructured** is query **data**, since it is usually set up for individual, application- and domain ...

Cited by 292 - Related articles - BL Direct - All 31 versions

[Intrinsically unstructured proteins and their functions](#)

[PDF] from stidue.net

HJ Dyson... - Nature Reviews Molecular Cell Biology, 2005 - nature.com

... 98; Protein **Data** Bank accession code 1JSP). ... conservation and an increased content of charged or hydrophobic residues; some of these segments **map** to known ... concepts of proteins and their **functions** will evolve to encompass a continuum; from fully **unstructured** proteins that ...

Cited by 1309 - Related articles - All 21 versions

[Visualization of large data sets with the active data repository](#)

[PS] from umd.edu

T Kuro, H. Catabayashi, C Chang... - Computer Graphics ..., 2001 - ieeeexplore.ieee.org

... and K.-L. Ma, "Out-of-Core Streamline Visu- alization on Large **Unstructured** Meshes," IEEE ... runtime system calls virtual methods implemented by the user for application-specific **map**- ping and ... Figure 4a shows the speedup values for rendering the **data** sets from a fixed viewing ...

Cited by 53 - Related articles - BL Direct - All 21 versions

☒ Create email alert

Googooooooooooooole ►

1 2 3 4 5 6 7 8 9 10 Next

About Google Scholar All About Google Privacy & Terms



mapping multiple data types to index tables mapping table function

Give us feedback

Scholar

About 267,290 results (0.27 sec)



Articles

[Vegetation water content mapping using Landsat data derived normalized difference water index for corn and soybeans](#)

[PDF] from usda.gov

Legal documents

TJ Jackson, G Chen, M Cosh, F Li... · Remote Sensing of ... 2004 · Elsevier

... 4. Development and application of VWC **mapping** functions. ... Therefore, it is impossible to directly relate the Landsat TMETM+ **data** collected on a single day to VWC obtained ... Our solution to this problem was to use the VWC samples to establish a growth curve for each crop **type** ...

Cited by 196 · Related articles · All 12 versions

Any time

Since 2012

Since 2011

Since 2008

Custom range...

☒ include patents☒ include citations[An efficient SQL-based RDF querying scheme](#)

[PDF] from oracle.com

El Cheng, S Das, G Esch... · ... on Very large data bases, 2005 - di.acm.org

... each invoker's access via RDF_MATCH query to only the appropriate portion of the RDF **data** ... To support matching between **multiple** representations for the same value, such as the integer 123 ... To support **mapping** other equi-valued literals to this canonical literal, there is a flag ...

Cited by 167 · Related articles · BI Direct · All 25 versions

[Retrieval of leaf area index in different vegetation types using high resolution satellite data](#)

[PDF] from massey.ac.nz

R Colombo, D Bellingan, G Fasoli... · Remote Sensing of ... 2003 · Elsevier

... the combined SVI-texture **data** versus LAI was tested by performing **multiple** linear regressions ... Spatial heterogeneity in canopy architecture was analyzed in the LAI **mapping** by introducing texture ... dissimilarity **index** as computed on a 6x6 pixel window from panchromatic **data** ...

Cited by 120 · Related articles · All 14 versions

[Global mapping of foliage clumping index using multi-angular satellite data](#)

[PDF] from utoronto.ca

JM Chen, CH Menges... · Remote Sensing of Environment, 2005 · Elsevier

... The model used in this study includes a **multiple** scattering scheme as described in Chen and ... was tested using the 4-Scale model, where the method was simulated with **data** from the ... The land cover information was obtained from the Global Land Cover **map** at 1 km resolution ...

Cited by 90 · Related articles · All 8 versions

[Mapping the biomass of Bornean tropical rain forest from remotely sensed data](#)

[PDF] from aseanbiodiversity.info

GM Fosdy, ME Cutler, J Molnarow... · Global Ecology and ... 2001 · Wiley Online Library

... indices and trained neural networks were applied to the imagery to **map** the spatial ... relationship between the predicted and actual biomass was derived with the **multiple** regression-based ... TM waveband 4) wavebands were among the least used while the **data** acquired in the ...

Cited by 91 · Related articles · BI Direct · All 15 versions

[XML-based components for federating multiple heterogeneous data sources](#)

[PDF] from free.fr

G Gardarin, F Sta... · Conceptual Modeling—ER'99, 1999 · Springer

... XML-based Components for Federating **Multiple** Heterogeneous Data Sources ... We envision to extend the **mapping** language for **mapping** complex values in a unique object-relational **table** in the future. ... Figure 4 illustrates a simple leaf **table** for storing the string **data type** values. ...

Cited by 36 · Related articles · BI Direct · All 9 versions

[RDF Support in the Virtuoso DBMS](#)

[PDF] from rwth-aachen.de

G Erling... · Networked Knowledge-Networked Media, 2009 · Springer

... The **mapping** between ID's of long O values and their full text is kept in a separate **table** ... Since the SQL compiler is in the same process as the **index** hosting the **data**, this can be ... The entire bitmap may span **multiple** pages in the **index tree** but reading the first bits and knowing ...

Cited by 131 - Related articles - All 15 versions

Method and apparatus for indexing structured documents with rich data types

JM Cheng, JH Chow, GYC Fuh... - US Patent 6,519,557, 2003 - Google Patents

... will typically have many **tables** and each **table** will typically have **multiple** tuples and **multiple** columns. ... to solve this prob-lem and to perform searches on structured documents with rich **data types**. ... An **index** can be created on the columns and this **index** could support searches. ...

Cited by 101 - Related articles - All 2 versions

Xmi and db2

[PDF] from ncu.edu.tw

J Cheng... - Data Engineering, 2000. Proceedings. 16th ... 2000 - ieeeexplore.ieee.org

... On the other hand, XML Collection provides a better **mapping** for an XML document which consists of **multiple** collections. ... you can generate an XML document from heterogeneous **data** sources such as files, DB2, Oracle and IMS Transaction Manager using NetData. ...

Cited by 73 - Related articles - BI Direct - All 10 versions

Fine Mapping of IGAD1 in IgA Deficiency and Common Variable Immunodeficiency: Identification and Characterization of Haplotypes Shared by Affected Members of ...

[PDF] from jimmunol.org

I Verechovsky, M Cullen, M Carrington... - The Journal of ... 2000 - Am Assoc Immunol

... were found to carry this haplotype with a variant allele at the 62 or DQCARI loci (**Table V**). These **data** indicate that the ... of class II and class III recombinants The recombinant families were detected in the process of genome- wide linkage **mapping** of 83 **multiple**-case families ...

Cited by 50 - Related articles - BI Direct - All 4 versions

✉ Create email alert



1 2 3 4 5 6 7 8 9 10 Next

About Google Scholar All About Google Privacy & Terms